



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### ADDINOL Anti-Corrosion Grease SW 2

Print date: 08.05.2015

Product code: 717216

Page 1 of 7

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

ADDINOL Anti-Corrosion Grease SW 2

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Lubricant and additive.

##### 1.3. Details of the supplier of the safety data sheet

Company name:	ADDINOL Lube Oil GmbH	
	Gebäude 4609	
Street:	Am Haupttor	
Place:	D-06237 Leuna	
Telephone:	+49 (0) 3461 845-201	Telefax: +49 (0) 3461 845-561
e-mail:	info@addinol.de	
Contact person:	Application Technology	
Internet:	www.addinol.de	
Responsible Department:	ADDINOL Application Technology	

##### 1.4. Emergency telephone number:

+49 (0) 3461 845-201 - This number is serviced during office hours.

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Hazardous to the aquatic environment: Aquatic Chronic 3

Hazard Statements:

Harmful to aquatic life with long lasting effects.

##### 2.2. Label elements

###### Hazard statements

H412 Harmful to aquatic life with long lasting effects.

###### Precautionary statements

P280 Wear protective gloves and eye/face protection.  
P262 Do not get in eyes, on skin, or on clothing.  
P273 Avoid release to the environment.

###### Special labelling of certain mixtures

EUH208 Contains 4-Nonylphenoxyacetic acid, Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts. May produce an allergic reaction.

###### Additional advice on labelling

Product is classified and labelled in accordance with EC regulations or the corresponding national laws.

##### 2.3. Other hazards

Spilled product must not leak into the ground.  
Do not allow uncontrolled leakage of product into the environment.

If handled with proper care and at intended use, the product does not cause any harmful effects acc. to our experiences and available information.

#### SECTION 3: Composition/information on ingredients



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### ADDINOL Anti-Corrosion Grease SW 2

Print date: 08.05.2015

Product code: 717216

Page 2 of 7

#### 3.2. Mixtures

##### Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
221-486-2	4-Nonylphenoxyacetic acid	< 1 %
3115-49-9	C - Corrosive, Xn - Harmful, N - Dangerous for the environment R22-34-43-50-53	
	Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1 (M-Factor = 1), Aquatic Chronic 1 (M-Factor = 1); H302 H314 H318 H317 H400 H410	
939-603-7	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	< 1 %
	R43	
	Skin Sens. 1; H317	

Full text of R-, H- and EUH-phrases: see section 16.

##### Further Information

DMSO-Extrakt &lt; 3 %, IP 346.

Concentration of PCBs &lt; 1mg/kg.

Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

###### General information

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

###### After inhalation

Provide fresh air. In case of persistent complaints seek medical advice.

###### After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

###### After contact with eyes

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 5 minutes. Subsequently consult an ophthalmologist.

###### After ingestion

Do NOT induce vomiting. Caution if victim vomits: Risk of aspiration! In case of persistent complaints seek medical advice.

#### SECTION 5: Firefighting measures

##### 5.1. Extinguishing media

###### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>). Extinguishing powder. Water spray.

###### Unsuitable extinguishing media

High power water jet.

##### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). Nitrogen oxides (NO<sub>x</sub>). Sulfur oxides. carbon black.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### ADDINOL Anti-Corrosion Grease SW 2

Print date: 08.05.2015

Product code: 717216

Page 3 of 7

#### **5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray/stream to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

High slip hazard because of leaking or spilled product. Avoid contact with skin, eye and clothing.

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

#### **6.3. Methods and material for containment and cleaning up**

Take up mechanically. Dispose of waste according to applicable legislation. Clean contaminated objects and areas thoroughly observing environmental regulations.

#### **6.4. Reference to other sections**

Refer to the provisions listed in Sections 8, 12 and 13.

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

Avoid contact with skin, eye and clothing.

##### **Advice on protection against fire and explosion**

Keep away from sources of ignition. - No smoking.

#### **7.2. Conditions for safe storage, including any incompatibilities**

##### **Requirements for storage rooms and vessels**

Keep the packing dry and well sealed to prevent contamination and absorption of humidity. Keep container tightly closed in a cool place.

##### **Advice on storage compatibility**

Keep away from food, drink and animal feedingstuffs.

Keep away from: Oxidizing agents.

##### **Further information on storage conditions**

Protect against: UV-radiation/sunlight. frost.

Recommended storage temperature: 10 - 30°C

#### **7.3. Specific end use(s)**

Further information: see technical data sheet.

### **SECTION 8: Exposure controls/personal protection**

#### **8.1. Control parameters**

##### **Additional advice on limit values**

The product does not contain any relevant quantities of substances with legally established exposure limitation.

#### **8.2. Exposure controls**



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### ADDINOL Anti-Corrosion Grease SW 2

Print date: 08.05.2015

Product code: 717216

Page 4 of 7



#### Protective and hygiene measures

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

#### Eye/face protection

No special measures are necessary.

#### Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): DIN EN 374

Duration of wearing with permanent contact: 480 min

Suitable material: NBR (Nitrile rubber).

Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min

Suitable material: NBR (Nitrile rubber).

Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

#### Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

#### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Paste
Colour:	light brown
Odour:	characteristic

#### Test method

#### Changes in the physical state

Melting point:	No data available
Initial boiling point and boiling range:	No data available
Flash point:	> 200 °C DIN EN ISO 2592

#### Explosive properties

evaluation: not Explosive.

#### Auto-ignition temperature

Solid: incapable of spontaneous heating.

Density (at 20 °C):	0,94 g/cm <sup>3</sup> DIN 51757
Water solubility:	insoluble
Viscosity / kinematic: (at 40 °C)	100 mm <sup>2</sup> /s DIN 51562 - Base oil

### 9.2. Other information



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### ADDINOL Anti-Corrosion Grease SW 2

Print date: 08.05.2015

Product code: 717216

Page 5 of 7

#### SECTION 10: Stability and reactivity

##### 10.1. Reactivity

Stable with proper care and handling.

##### 10.2. Chemical stability

The product is chemically stable when handled and stored under normal conditions.

##### 10.3. Possibility of hazardous reactions

No decomposition if used as intended.

##### 10.4. Conditions to avoid

Refer to chapter 7 No further action is necessary.

Do not overheat to avoid decomposition by heat.

##### 10.5. Incompatible materials

Reacts with : Oxygen. Oxidizing agents, strong.

##### 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). Nitrogen oxides (NO<sub>x</sub>).

Sulfur oxides. carbon black.

#### SECTION 11: Toxicological information

##### 11.1. Information on toxicological effects

###### Acute toxicity

No data available

Mixture not tested.

CAS No	Chemical name				
	Exposure routes	Method	Dose	Species	Source
3115-49-9	4-Nonylphenoxyacetic acid				
	oral	ATE	500 mg/kg		

###### Irritation and corrosivity

Irritant effect on the eye: mild irritant.

Irritant effect on the skin: Prolonged/repetitive skin contact may cause skin defatting or dermatitis.

###### Sensitising effects

Contains: 4-Nonylphenoxyacetic acid, Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts.

May cause an allergic skin reaction.

###### Severe effects after repeated or prolonged exposure

Prolonged/repetitive skin contact may cause skin defatting or dermatitis.

###### Carcinogenic/mutagenic/toxic effects for reproduction

No data available

###### Specific effects in experiment on an animal

No data available

###### Further information

If handled with proper care and at intended use, the product does not cause any harmful effects acc. to our experiences and available information.

#### SECTION 12: Ecological information

##### 12.1. Toxicity

No data available



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### ADDINOL Anti-Corrosion Grease SW 2

Print date: 08.05.2015

Product code: 717216

Page 6 of 7

Mixture not tested.

#### **12.2. Persistence and degradability**

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

#### **12.3. Bioaccumulative potential**

No data available

#### **12.4. Mobility in soil**

Due to its low solubility in water the product is almost completely mechanically separated in biological waste water treatment plants.

#### **12.5. Results of PBT and vPvB assessment**

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

#### **12.6. Other adverse effects**

No data available

#### **Further information**

Do not allow uncontrolled leakage of product into the environment.

### SECTION 13: Disposal considerations

#### **13.1. Waste treatment methods**

##### **Advice on disposal**

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

##### **Waste disposal number of waste from residues/unused products**

120112 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; spent waxes and fats  
Classified as hazardous waste.

##### **Contaminated packaging**

Contaminated packages must be completely emptied and can be re-used following proper cleaning.  
Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be thrown away.

### SECTION 14: Transport information

#### **Land transport (ADR/RID)**

**14.1. UN number:** -

#### **Inland waterways transport (ADN)**

**14.1. UN number:** -

#### **Marine transport (IMDG)**

**14.1. UN number:** -

#### **Air transport (ICAO)**

**14.1. UN number:** -

#### **14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: no

#### **14.6. Special precautions for user**

Unless specified otherwise, general measures for safe transport must be followed.

#### **14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

not applicable



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### ADDINOL Anti-Corrosion Grease SW 2

Print date: 08.05.2015

Product code: 717216

Page 7 of 7

#### Other applicable information

No dangerous good in sense of these transport regulations.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### Relevant R-phrases (Number and full text)

- |    |                                                                 |
|----|-----------------------------------------------------------------|
| 22 | Harmful if swallowed.                                           |
| 34 | Causes burns.                                                   |
| 43 | May cause sensitisation by skin contact.                        |
| 50 | Very toxic to aquatic organisms.                                |
| 53 | May cause long-term adverse effects in the aquatic environment. |

#### Relevant H- and EUH-phrases (Number and full text)

- |        |                                                                                                                                     |
|--------|-------------------------------------------------------------------------------------------------------------------------------------|
| H302   | Harmful if swallowed.                                                                                                               |
| H314   | Causes severe skin burns and eye damage.                                                                                            |
| H317   | May cause an allergic skin reaction.                                                                                                |
| H318   | Causes serious eye damage.                                                                                                          |
| H400   | Very toxic to aquatic life.                                                                                                         |
| H410   | Very toxic to aquatic life with long lasting effects.                                                                               |
| H412   | Harmful to aquatic life with long lasting effects.                                                                                  |
| EUH208 | Contains 4-Nonylphenoxyacetic acid, Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts. May produce an allergic reaction. |

#### Further Information

This preparation is hazardous in the sense of regulation (EC) No 1272/2008 [GHS].

These given data only refer to the named product. If the product is used together with other materials or in manufacturing processes the data might not be applicable any more. The data are based on today's state of our knowledge and experience. They are, however, no guarantee of any specific product properties and do not established any legally valid contractual relationship.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*