according to Regulation (EC) No 1907/2006

## **ADDINOL Multi-Purpose Grease L 2 G**

Revision date: 07.04.2025 Product code: 717052 Page 1 of 11

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

ADDINOL Multi-Purpose Grease L 2 G

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Lubricant and additive. Parting agent.

## 1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: ADDINOL Lube Oil GmbH

Gebäude 4609

Street: Am Haupttor Place: D-06237 Leuna

+49 (0) 3461 845-0 Telephone: Telefax: +49 (0) 3461 845-555

E-mail: info@addinol.de Contact person: Application Technology Internet:

www.addinol.de

**ADDINOL Application Technology** Responsible Department:

Supplier

Company name: **GEM OILS LIMITED** 

Place: IRL-H12K298 Regaskin Co. Cavan

Telephone: +353 49 4378116 Telefax: +353 49 4368329

sales@gemoils.ie E-mail:

**GEM OILS LIMITED** Contact person: Telephone: +353 49 4378116

E-mail: sales@gemoils.ie Internet: https://gemoils.ie/

1.4. Emergency telephone Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

number:

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

#### 2.2. Label elements

#### Regulation (EC) No 1272/2008

### Special labelling of certain mixtures

**EUH208** Contains Di-Tert-Dodecyl Polysulphide, Zinc naphthenate. May produce an allergic

reaction.

**EUH210** Safety data sheet available on request.

#### Additional advice on labelling

According to EC directives or the corresponding national regulations the product does not have to be labelled.

#### 2.3. Other hazards

No risks worthy of mention.

If handled with proper care and at intended use, the product does not cause any harmful effects acc. to our experiences and available information.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

according to Regulation (EC) No 1907/2006

## **ADDINOL Multi-Purpose Grease L 2 G**

Revision date: 07.04.2025 Product code: 717052 Page 2 of 11

#### Relevant ingredients

CAS No	Chemical name		Qua	
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)		
68425-15-0	Di-Tert-Dodecyl Polysulphide			< 1 %
	270-335-7		01-2119540516-41	
	Skin Sens. 1B; H317			
12001-85-3	Zinc naphthenate			< 1 %
	234-409-2			
	Eye Irrit. 2, Skin Sens. 1B, Aquatic	Chronic 2; H319 H317 H411		

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
68425-15-0	270-335-7	Di-Tert-Dodecyl Polysulphide	< 1 %
	inhalation: LC5 mg/kg	0 = > 15,5 mg/l (vapours); dermal: LD50 = 2000 mg/kg; oral: LD50 = 20008	
12001-85-3	234-409-2	Zinc naphthenate	< 1 %
	oral: LD50 = >	2000 mg/kg	

#### **Further Information**

DMSO-Extract < 3 %; IP 346. Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets. Avoid contact with skin, eyes and clothes.

### After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, seek medical treatment.

#### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

according to Regulation (EC) No 1907/2006

## **ADDINOL Multi-Purpose Grease L 2 G**

Revision date: 07.04.2025 Product code: 717052 Page 3 of 11

#### Suitable extinguishing media

Carbon dioxide (CO2). Extinguishing powder. Sand. Foam

#### Unsuitable extinguishing media

High power water iet.

#### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx).

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

High slip hazard because of leaking or spilled product. Avoid contact with skin, eyes and clothes.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### 6.3. Methods and material for containment and cleaning up

### Other information

Take up mechanically. Dispose of waste according to applicable legislation. Clean contaminated articles and floor according to the environmental legislation.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8
Section 12: Ecological Information (non-mandatory)

Disposal: see section 13

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin, eyes and clothes.

### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

## Advice on general occupational hygiene

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place. Keep/Store only in original container.

## Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Keep away from: Oxidizing agent

### Further information on storage conditions

Protect against: UV-radiation/sunlight. frost. Recommended storage temperature: 5 - 40°C

according to Regulation (EC) No 1907/2006

## ADDINOL Multi-Purpose Grease L 2 G

Revision date: 07.04.2025 Product code: 717052 Page 4 of 11

## 7.3. Specific end use(s)

Further information: see technical data sheet.

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

### **DNEL/DMEL values**

CAS No	Substance				
DNEL type		Exposure route Effect		Value	
68425-15-0	Di-Tert-Dodecyl Polysulphide				
Worker DNEL,	long-term	inhalation	systemic	23,5 mg/m³	
Worker DNEL,	long-term	dermal	systemic	33,3 mg/kg bw/day	
Consumer DNE	EL, long-term	oral	systemic	1,66 mg/kg bw/day	
Consumer DNE	EL, long-term	dermal	systemic	16,6 mg/kg bw/day	
Consumer DNE	EL, long-term	inhalation	systemic	5,8 mg/m³	
12001-85-3	Zinc naphthenate				
Worker DNEL,	long-term	inhalation	systemic	1,18 mg/m³	
Worker DNEL,	long-term	dermal	systemic	3,3 mg/kg bw/day	
Consumer DNE	EL, long-term	inhalation	systemic	0,29 mg/m³	
Consumer DNE	EL, long-term	dermal	systemic	1,7 mg/kg bw/day	

## PNEC values

CAS No	Substance	
Environment	al compartment	Value
68425-15-0	Di-Tert-Dodecyl Polysulphide	
Freshwater s	ediment	3,85 mg/kg
Marine sedin	nent	0,385 mg/kg
Secondary p	oisoning	66,7 mg/kg
Micro-organia	sms in sewage treatment plants (STP)	1000 mg/l
12001-85-3	Zinc naphthenate	
Freshwater		0,004 mg/l
Freshwater (	intermittent releases)	0,04 mg/l
Marine water		0 mg/l
Freshwater s	ediment	0,015 mg/kg
Marine sedin	nent	0,002 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	0,6897 mg/l
Soil		0,001 mg/kg

## Additional advice on limit values

The product does not contain any relevant quantities of substances with legally established exposure limitation.

### 8.2. Exposure controls

according to Regulation (EC) No 1907/2006

## ADDINOL Multi-Purpose Grease L 2 G

Revision date: 07.04.2025 Product code: 717052 Page 5 of 11





## Individual protection measures, such as personal protective equipment

#### Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN ISO 16321

#### Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min

Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min

Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

#### Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: solid
Colour: black
Odour: characteristic
Odour threshold: not determined

Test method

Melting point/freezing point: > 180 °C
Boiling point or initial boiling point and > 250 °C

boiling range:

Flammability: No data available Lower explosion limits: No data available Upper explosion limits: No data available

Flash point: > 200 °C DIN EN ISO 2592

Auto-ignition temperature:

Decomposition temperature:

No data available

PH-Value:

not applicable

Viscosity / kinematic: 110 mm²/s DIN 51562 - Base oil

(at 40 °C)

Water solubility: virtually insoluble

Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

Vapour pressure:

No data available

No data available

Density (at 20 °C): 0,94 g/cm³ DIN 51757

Relative vapour density: No data available

according to Regulation (EC) No 1907/2006

## ADDINOL Multi-Purpose Grease L 2 G

Revision date: 07.04.2025 Product code: 717052 Page 6 of 11

Particle characteristics: No data available

### 9.2. Other information

#### Information with regard to physical hazard classes

Explosive properties

evaluation: not Explosive. Self-ignition temperature

Solid: incapable of spontaneous heating.

Gas: No data available

Oxidizing properties

No data available

Other safety characteristics

Evaporation rate: No data available Softening point: No data available

Pour point: -25 °C DIN EN ISO 3016

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

Do not overheat to avoid decomposition by heat.

Refer to chapter 7 No further action is necessary.

### 10.5. Incompatible materials

Reacts with: Oxidising agent, strong acid.

## 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Nitrogen oxides (NOx).

#### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

Mixture not tested.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

according to Regulation (EC) No 1907/2006

## **ADDINOL Multi-Purpose Grease L 2 G**

Revision date: 07.04.2025 Product code: 717052 Page 7 of 11

CAS No	Chemical name								
	Exposure route	Dose	ose Species Source		Dose Species Source		Dose Species		Method
68425-15-0	Di-Tert-Dodecyl Polysulp	hide							
	oral	LD50 mg/kg	20008	Rat	https://www.epa.gov/c hemical-research/to	other: REACH guidance. Chapter R.6: QSAR			
	dermal	LD50 mg/kg	2000	Rat	OECD 402				
	inhalation (4 h) vapour	LC50 mg/l	> 15,5	Rat	OECD 403				
12001-85-3	Zinc naphthenate								
	oral	LD50 mg/kg	> 2000	Rat	Study report (2018)	OECD Guideline 423			

### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

Contains Di-Tert-Dodecyl Polysulphide, Zinc naphthenate. May produce an allergic reaction.

### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

#### **Endocrine disrupting properties**

not applicable

#### **Further information**

If handled with proper care and at intended use, the product does not cause any harmful effects acc. to our experiences and available information.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

No data available

according to Regulation (EC) No 1907/2006

## **ADDINOL Multi-Purpose Grease L 2 G**

Revision date: 07.04.2025 Product code: 717052 Page 8 of 11

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
68425-15-0	Di-Tert-Dodecyl Polysulph	nide					
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Danio rerio (zebrafish)	OECD 203	
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Raphidocelis subcapitata	Study report (2010)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	< 0,1	48 h	Daphnia magna		
12001-85-3	Zinc naphthenate						
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Cyprinus carpio	REACh Registration Dossier	OECD Guideline 203
	Acute algae toxicity	ErC50	4 mg/l	72 h	Pseudokirchneriella subcapitata	REACh Registration Dossier	OECD Guideline 201
	Acute crustacea toxicity	EL50	35 mg/l	48 h	Daphnia magna	REACh Registration Dossier	OECD Guideline 202
	Acute bacteria toxicity	EC50	5,2 mg/l	3 h	activated sludge of a predominantly domestic sewag	Water research volume 17, nr10, 1363-136	OECD Guideline 209

### 12.2. Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

### 12.3. Bioaccumulative potential

No data available

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68425-15-0	Di-Tert-Dodecyl Polysulphide	> 6,2
12001-85-3	Zinc naphthenate	0,8

## BCF

CAS No	Chemical name	BCF	Species	Source
68425-15-0	Di-Tert-Dodecyl Polysulphide	< 0,01	Cyprinus carpio	REACh Registration D
12001-85-3	Zinc naphthenate	69,48	Capoeta fusca	Water Qual Expo Heal

### 12.4. Mobility in soil

Due to its low solubility in water the product is almost completely mechanically separated in biological waste water treatment plants.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No data available

#### **Further information**

Do not allow uncontrolled leakage of product into the environment.

## **SECTION 13: Disposal considerations**

according to Regulation (EC) No 1907/2006

## **ADDINOL Multi-Purpose Grease L 2 G**

Revision date: 07.04.2025 Product code: 717052 Page 9 of 11

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

#### List of Wastes Code - residues/unused products

120112 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF

METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of

metals and plastics; spent waxes and fats; hazardous waste

#### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

#### Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be thrown away.

### **SECTION 14: Transport information**

### Land transport (ADR/RID)

ID number:	U	OI	lumber	ını	UN	14.1.
------------	---	----	--------	-----	----	-------

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

## Inland waterways transport (ADN)

14.1. UN number or ID number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

## Marine transport (IMDG)

14.1. UN number or ID number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

## Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:

14.2. UN proper shipping name:

14.3. Transport hazard class(es):

14.4. Packing group:

## 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No.

## 14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

## Other applicable information

No dangerous good in sense of these transport regulations.

### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

according to Regulation (EC) No 1907/2006

### **ADDINOL Multi-Purpose Grease L 2 G**

Revision date: 07.04.2025 Product code: 717052 Page 10 of 11

**EU** regulatory information

Directive 2010/75/EU on industrial < 3 %

emissions:

**National regulatory information** 

Water hazard class (D): 1 - slightly hazardous to water

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 2,3,4,5,6,7,8,9,10,11,12,13,15,16.

### Abbreviations and acronyms

Eye Irrit: Eye irritation Skin Sens: Skin sensitisation

Aquatic Chronic: Chronic aquatic hazard

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road: ADN -European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ASTM -American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO - Cargo Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DNEL - Derived No-Effect Level; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN - European standards; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n;o;s; - Not Otherwise Specified; NFPA -National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level: NOELR - No Observable Effect Loading Rate: NTP - National Toxicology Program: OECD - Organization for Economic Co-operation and Development: PBT - Persistent. Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ -Reportable Quantity; SADT - Self- Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Relevant H and EUH statements (number and full text)

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

EUH208 Contains Di-Tert-Dodecyl Polysulphide, Zinc naphthenate. May produce an allergic

reaction.

EUH210 Safety data sheet available on request.

### **Further Information**

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product

according to Regulation (EC) No 1907/2006

## ADDINOL Multi-Purpose Grease L 2 G

Revision date: 07.04.2025 Product code: 717052 Page 11 of 11

named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)