according to Regulation (EC) No 1907/2006

Revision date: 01.04.2021

Product code: 761002

Page 1 of 7

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

ADDINOL Turbine Oil TL 36

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Lubricant and additive.

# 1.3. Details of the supplier of the safety data sheet

Company name:	ADDINOL Lube Oil GmbH	
	Gebäude 4609	
Street:	Am Haupttor	
Place:	D-06237 Leuna	
Telephone:	+49 (0) 3461 845-0	Telefax:+49 (0) 3461 845-555
e-mail:	info@addinol.de	
Contact person:	Application Technology	
Internet:	www.addinol.de	
Responsible Department:	ADDINOL Application Technology	
1.4. Emergency telephone	mergency telephone +49 (0) 3461 845 222 - Only available during office hours.	
<u>number:</u>		

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

# 2.2. Label elements

#### Additional advice on labelling

According to EC directives or the corresponding national regulations the product does not have to be labelled.

# 2.3. Other hazards

Prolonged/repetitive skin contact may cause skin defattening or dermatitis. Spilled product must not leak into the ground. Do not allow uncontrolled leakage of product into the environment.

# SECTION 3: Composition/information on ingredients

# 3.2. Mixtures

#### **Further Information**

This mixture does not contain any substances which either present a health or environmental hazard according to Regulation (EC) No. 1272/2008 or have an occupational exposure limit assigned.

DMSO-Extrakt < 3 %, IP 346.

Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### **General information**

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

according to Regulation (EC) No 1907/2006

# **ADDINOL Turbine Oil TL 36**

Revision date: 01.04.2021

Product code: 761002

Page 2 of 7

# After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist.

### After contact with skin

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist. Change contaminated clothing.

#### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

#### No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

# Suitable extinguishing media

Foam. Extinguishing powder. Carbon dioxide (CO2). Atomized water.

Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Sulfur oxides. Phosphorus oxides. Nitrogen oxides (NOx). carbon black.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray/stream to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### **General measures**

High slip hazard because of leaking or spilled product. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Avoid contact with skin, eye and clothing.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

# 6.3. Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

# 6.4. Reference to other sections

Refer to the provisions listed in Sections 8, 12 and 13.

according to Regulation (EC) No 1907/2006

# **ADDINOL Turbine Oil TL 36**

Revision date: 01.04.2021

Product code: 761002

Page 3 of 7

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Work in well-ventilated zones or use proper respiratory protection. Avoid oil mist If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid contact with skin, eyes and clothes.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place.

#### Hints on joint storage

Keep away from food, drink and animal feedingstuffs. Keep away from: Oxidizing agents.

# Further information on storage conditions

Recommended storage temperature: 5 - 40°C Protect against: heat. UV-radiation/sunlight. frost.

#### 7.3. Specific end use(s)

Further information: see technical data sheet.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### Additional advice on limit values

Recommended limit value for oil mist TWA: 5 mg/m<sup>3</sup> STEL: 10 mg/m<sup>3</sup>

The product does not contain any relevant quantities of substances with legally established exposure limitation.

# 8.2. Exposure controls





# Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

### Protective and hygiene measures

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

### Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

#### Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.7 mm.

according to Regulation (EC) No 1907/2006

# **ADDINOL Turbine Oil TL 36**

Revision date: 01.04.2021

Product code: 761002

Page 4 of 7

Wearing time with occasional contact (splashes): 30 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

# Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

# **Respiratory protection**

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Cosaint riospráide le scagaire i gcoinne gás orgánach agus gaile cineál A - fiuchphointe> 65 ° C: A1: <1000 ppm; A2: <5000 ppm; A3: <10,000 ppm.

### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state:	liquid		
Colour:	yellow - brown		
Odour:	characteristic		
			Test method
pH-Value:		No data available	
Changes in the physical state			
Melting point:		No data available	
Boiling point or initial boiling point and boiling range:		No data available	
Pour point:		-	ASTM D 7346
Flash point:		240 °C	DIN EN ISO 2592
Flammability			
Solid/liquid:		No data available	
Gas:		No data available	
Explosive properties No data available			
Lower explosion limits:		No data available	
Upper explosion limits:		No data available	
Auto-ignition temperature:		No data available	
Self-ignition temperature			
Solid:		No data available	
Gas:		No data available	
Decomposition temperature:		No data available	
Oxidizing properties No data available			
Vapour pressure:		No data available	
Density (at 15 °C):		0,865 g/cm³	DIN 51757
Water solubility:		virtually insoluble	
Solubility in other solvents			
No data available			
Partition coefficient n-octanol/water:		No data available	

according to Regulation (EC) No 1907/2006

ADDINOL Turbine Oil TL 36				
Revision date: 01.04.2021	Product code: 761002	Page 5 of 7		
Viscosity / kinematic: (at 50 °C)	36 mm²/s ASTM D 7042			
Relative vapour density:	No data available			
Evaporation rate:	No data available			
9.2. Other information				
No data available				

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

### 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

# 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

Refer to chapter 7 No further action is necessary.

Do not overheat to avoid decomposition by heat.

### 10.5. Incompatible materials

Reacts with : Oxidizing agents, strong.

#### 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Sulfur oxides. Phosphorus oxides. Nitrogen oxides (NOx). carbon black.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met. Mixture not tested.

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

# Aspiration hazard

Based on available data, the classification criteria are not met.

# Specific effects in experiment on an animal

No data available

# 11.2. Information on other hazards

# Endocrine disrupting properties

not applicable

according to Regulation (EC) No 1907/2006

# **ADDINOL Turbine Oil TL 36**

Revision date: 01.04.2021

Product code: 761002

Page 6 of 7

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

No data available

Mixture not tested.

# 12.2. Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

### 12.3. Bioaccumulative potential

# No data available

#### 12.4. Mobility in soil

Due to its low solubility in water the product is almost completely mechanically separated in biological waste water treatment plants.

### 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

#### 12.6. Endocrine disrupting properties

not applicable

# 12.7. Other adverse effects

No data available

# **Further information**

Do not allow uncontrolled leakage of product into the environment.

### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

# List of Wastes Code - residues/unused products

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

### Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be thrown away.

#### **SECTION 14: Transport information**

## Land transport (ADR/RID)

Ir

N

<u>14.1. UN number:</u>	-
14.2. UN proper shipping name:	-
14.3. Transport hazard class(es):	-
14.4. Packing group:	-
nland waterways transport (ADN)	
<u>14.1. UN number:</u>	-
14.2. UN proper shipping name:	-
14.3. Transport hazard class(es):	-
14.4. Packing group:	-
larine transport (IMDG)	
<u>14.1. UN number:</u>	-

according to Regulation (EC) No 1907/2006

	ADDINOL Turbine Oil TL 36		
Revision date: 01.04.2021	Product code: 761002	Page 7 of 7	
14.2. UN proper shipping name:	-		
14.3. Transport hazard class(es):	-		
14.4. Packing group:	-		
Air transport (ICAO-TI/IATA-DGR)			
<u>14.1. UN number:</u>	-		
14.2. UN proper shipping name:	-		
14.3. Transport hazard class(es):	-		
14.4. Packing group:	-		
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	No		
14.6. Special precautions for user			
Unless specified otherwise, general	measures for safe transport must be followed.		
14.7. Maritime transport in bulk according	to IMO instruments		
not applicable			
Other applicable information			
No dangerous good in sense of thes	e transport regulations.		
SECTION 15: Regulatory information			
15.1. Safety, health and environmental rec	ulations/legislation specific for the substance or mixture		
National regulatory information			
Water hazard class (D):	1 - slightly hazardous to water		
	- Signity hazardous to water		
15.2. Chemical safety assessment	betances in this mixture were not carried out		
Chemical safety assessments for substances in this mixture were not carried out.			
SECTION 16: Other information			
Changes			
-	om the previous version in section(s): 3,5,7,11,12,15.		
		<b>.</b>	
Further Information			
	rdous according to regulation (EC) No 1272/2008 [CLP].		
	amed product. If the product is used together with other materials or in ight not be applicable any more. The data are based on today's state of		
•	<i>y</i> are, however, no guarantee of any specific product properties and do not		
established any legally valid contractual relationship.			
The receiver of our product is singula	arly responsible for adhering to existing laws and regulations.		
		- <b>f</b>	
( The data for the hazardous ingred	lients were taken respectively from the last version of the sub-contractor's sa data sheet.)	irety	
	uala Sileel.j		