according to UK REACH Regulation

## ADDINOL Form 150 C-ZF

Revision date: 04.02.2025

Product code: 776008

Page 1 of 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

ADDINOL Form 150 C-ZF

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Metal working fluids

# 1.3. Details of the supplier of the safety data sheet

## Manufacturer

	Manufacturer		
	Company name:	ADDINOL Lube Oil GmbH	
		Gebäude 4609	
	Street:	Am Haupttor	
	Place:	D-06237 Leuna	
	Telephone:	+49 (0) 3461 845-0	Telefax: +49 (0) 3461 845-555
	E-mail:	info@addinol.de	
	Contact person:	Application Technology	
	Internet:	www.addinol.de	
	Responsible Department:	ADDINOL Application Technology	
	Supplier		
	Company name:	Gidov Oil & Logistics Ltd.	
	Street:	76 Cobham Road, Ferndown Industrial Estate	
	Place:	GB-TN157DA Wrotham, Sevenoaks Kent	
	Telephone:	+44 7729229830	Telefax: +44 7729229830
	E-mail:	sales@addinol.co.uk	
	Internet:	https://www.gidovlogistics.co.uk/	
<u>1.</u>	4. Emergency telephone	+44 7729229830 - This number is serviced dur	ring office hours.
	and the second		

#### number:

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### **GB CLP Regulation**

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

### 2.2. Label elements

### GB CLP Regulation

### Special labelling of certain mixtures

EUH208

Contains Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

#### Additional advice on labelling

According to EC directives or the corresponding national regulations the product does not have to be labelled.

## 2.3. Other hazards

Prolonged/repetitive skin contact may cause skin defattening or dermatitis. Spilled product must not leak into the ground. Do not allow uncontrolled leakage of product into the environment.

## **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

according to UK REACH Regulation

## ADDINOL Form 150 C-ZF

Revision date: 04.02.2025

Product code: 776008

Page 2 of 11

### **Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No Index No REACH No			
	Classification (GB CLP Regulation)			
68584-23-6	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts			2.5 - < 5 %
	271-529-4			
	Skin Sens. 1B; H317			
-	Benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs., para-, sodium salts			2.5 - < 5 %
	946-212-5 01-2120743157-55		01-2120743157-55	
	Eye Irrit. 2; H319			

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	EC No Chemical name			
	Specific Conc. L	Specific Conc. Limits, M-factors and ATE			
68584-23-6	271-529-4	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	2.5 - < 5 %		
	dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 16000 mg/kg_Skin Sens. 1B; H317: >= 10 - 100				
-	946-212-5	Benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs., para-, sodium salts	2.5 - < 5 %		
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg				

#### **Further Information**

DMSO-Extract < 3 %; IP 346. Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

### **General information**

Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

#### After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist.

### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Change contaminated clothing. In case of skin irritation, seek medical treatment.

#### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

### After ingestion

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

according to UK REACH Regulation

## ADDINOL Form 150 C-ZF

Revision date: 04.02.2025

Product code: 776008

Page 3 of 11

## Suitable extinguishing media

Foam. Extinguishing powder. Carbon dioxide (CO2). Atomized water. Water fog.

Unsuitable extinguishing media

High power water jet.

## 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Sulfur oxides. carbon black.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### **General advice**

High slip hazard because of leaking or spilled product. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Avoid contact with skin, eyes and clothes.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

## 6.3. Methods and material for containment and cleaning up

### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

## 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Section 12: Ecological Information (non-mandatory) Disposal: see section 13

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Work in well-ventilated zones or use proper respiratory protection. Avoid oil mist. If handled uncovered, arrangements with local exhaust ventilation have to be used. Avoid contact with skin, eyes and clothes.

## Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

### Advice on general occupational hygiene

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place. Keep/Store only in original container.

### Hints on joint storage

Keep away from food, drink and animal feedingstuffs. Keep away from: Oxidizing agent.

## according to UK REACH Regulation

# ADDINOL Form 150 C-ZF

Revision date: 04.02.2025

Product code: 776008

Page 4 of 11

## Further information on storage conditions

Protect against: UV-radiation/sunlight. frost. heat. Recommended storage temperature: 5 - 40°C

## 7.3. Specific end use(s)

Further information: see technical data sheet.

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

## **DNEL/DMEL** values

CAS No	Substance				
DNEL type	DNEL type		Effect	Value	
68584-23-6	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts				
Worker DNEL	, long-term	inhalation	systemic	11,75 mg/m³	
Worker DNEL	, long-term	dermal	systemic	3,33 mg/kg bw/day	
Worker DNEL	, long-term	dermal	local	1,03 mg/cm <sup>2</sup>	
Consumer DN	IEL, long-term	inhalation	systemic	2,9 mg/m³	
Consumer DN	IEL, long-term	dermal	systemic	1,667 mg/kg bw/day	
Consumer DN	IEL, long-term	dermal	local	0,513 mg/cm <sup>2</sup>	
Consumer DNEL, long-term		oral	systemic	0,833 mg/kg bw/day	
-	Benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl deriv	s., para-, sodium salts			
Worker DNEL	, long-term	inhalation	systemic	17,6 mg/m³	
Worker DNEL	, long-term	dermal	systemic	25 mg/kg bw/day	
Worker DNEL	, long-term	dermal	local	1,06 mg/cm <sup>2</sup>	
Consumer DNEL, long-term		inhalation	systemic	4,35 mg/m <sup>3</sup>	
Consumer DNEL, long-term		dermal	systemic	12,5 mg/kg bw/day	
Consumer DNEL, long-term		dermal	local	0,528 mg/cm <sup>2</sup>	
Consumer DN	IEL, long-term	oral	systemic	2,5 mg/kg bw/day	

according to UK REACH Regulation

ADDINOL Form 150 C-ZF

Revision date: 04.02.2025

Product code: 776008

Page 5 of 11

### **PNEC** values

CAS No	Substance					
Environmenta	Environmental compartment Value					
68584-23-6	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts					
Freshwater		1 mg/l				
Freshwater (i	ntermittent releases)	10 mg/l				
Marine water		1 mg/l				
Freshwater s	ediment	226000000 mg/kg				
Marine sedim	ent	226000000 mg/kg				
Secondary p	pisoning	16,667 mg/kg				
Micro-organis	Micro-organisms in sewage treatment plants (STP) 1000 mg/l					
Soil 2710						
-	Benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs., para-, sodium salts					
Freshwater 0,1 mg/l						
Freshwater (i	ntermittent releases)	1 mg/l				
Marine water		0,1 mg/l				
Freshwater sediment 149280 mg						
Marine sediment 149280 n						
Secondary poisoning 33 mg/kg						
Micro-organisms in sewage treatment plants (STP) 1000 mg/l						
Soil		29768 mg/kg				

## Additional advice on limit values

Recommended limit value for oil mist TWA: 5 mg/m<sup>3</sup> STEL: 10 mg/m<sup>3</sup>

# 8.2. Exposure controls



### Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

### Individual protection measures, such as personal protective equipment

## Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN ISO 16321

#### Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

## according to UK REACH Regulation

## ADDINOL Form 150 C-ZF

Revision date: 04.02.2025

Product code: 776008

Page 6 of 11

## Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

## **Respiratory protection**

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Breathing protection with filter against organic gases and vapours type A - boiling point > 65°C: A1: < 1000 ppm; A2: < 5000 ppm; A3: < 10000 ppm

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state:	liquid		
Colour:	brown		
Odour:	like: mineral oil.		
Odour threshold:	not determined		
			Test method
Melting point/freezing point:		No data available	
Boiling point or initial boiling point and		> 250 °C	
boiling range:			
Flammability:		No data available	
Lower explosion limits:		0,6 vol. %	
Upper explosion limits:		6,5 vol. %	
Flash point:		180 °C	DIN EN ISO 2592
Auto-ignition temperature:		> 240 °C	DIN 51794
Decomposition temperature:		No data available	
pH-Value:		not applicable	
Viscosity / kinematic:			DIN EN ISO 3104
(at 40 °C)			
Water solubility:		insoluble	
Solubility in other solvents			
not determined			
Partition coefficient n-octanol/water:		No data available	
Vapour pressure:		No data available	
Density (at 20 °C):		0,935 g/cm³	DIN EN ISO 12185
Relative vapour density:		No data available	
Particle characteristics:		No data available	
9.2. Other information			
Information with regard to physical haz	ard classes		
Explosive properties			
No data available			
Self-ignition temperature			
Solid:		No data available	
Gas:		No data available	
Oxidizing properties			
No data available			
Other safety characteristics			
Pour point:		-9 °C	ASTM D 7346
SECTION 40. Stability and reportinity			
SECTION 10: Stability and reactivity			

### 10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

according to UK REACH Regulation

# ADDINOL Form 150 C-ZF

Revision date: 04.02.2025

Product code: 776008

Page 7 of 11

## 10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

Refer to chapter 7 No further action is necessary.

Do not overheat to avoid decomposition by heat.

#### 10.5. Incompatible materials

Reacts with: Oxidising agent, strong. Acid.

### 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide Carbon dioxide (CO2). Sulfur oxides. carbon black.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in GB CLP Regulation

### Acute toxicity

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
68584-23-6	Benzenesulfonic acid	l, C10-16-alkyl	derivs., calciu	um salts				
	oral	LD50 mg/kg	> 16000	Rat	Study report (1981)	other: Section 772 .112-21 CFR 40		
	dermal	LD50 mg/kg	> 5000	Rabbit	Study report (1981)	OECD Guideline 402		
-	Benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs., para-, sodium salts							
	oral	LD50 mg/kg	> 5000	Rat	Study report (1982)	other: 40 CFR Section 772.112-21.		
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1989)	OECD Guideline 402		

### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

## Sensitising effects

Based on available data, the classification criteria are not met. Contains Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts. May produce an allergic reaction.

### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met. Prolonged/repetitive skin contact may cause skin defattening or dermatitis.

according to UK REACH Regulation

# ADDINOL Form 150 C-ZF

Revision date: 04.02.2025

Product code: 776008

Page 8 of 11

## Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

### Endocrine disrupting properties

not applicable

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Based on available data, the classification criteria are not met. No data available

#### Mixture not tested.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
68584-23-6	Benzenesulfonic acid, C1	0-16-alkyl d	erivs., calciur	n salts	-	-	
	Acute algae toxicity	ErC50 mg/l	> 1000	72 h	Raphidocelis subcapitata	Study report (1994)	EPA OTS 797.1050
	Acute bacteria toxicity	EC50 mg/l()	> 10000	3 h	activated sludge of a predominantly domestic sewag	Study report (1994)	OECD Guideline 209
-	Benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs., para-, sodium salts						
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Oncorhynchus mykiss	Study report (2005)	OECD Guideline 203
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus	Study report (2005)	OECD Guideline 201
	Acute crustacea toxicity	EL50 mg/l	> 1000	48 h	Daphnia magna	Study report (1993)	EPA OTS 797.1300
	Acute bacteria toxicity	EC50 mg/l()	> 10000	3 h	activated sludge of a predominantly domestic sewag	Study report (1994)	OECD Guideline 209

### 12.2. Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

## 12.3. Bioaccumulative potential

No data available

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68584-23-6	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	> 4,46
-	Benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs., para-, sodium salts	> 7,06 - < 12,53

#### BCF

CAS No	Chemical name	BCF	Species	Source
-	Benzenesulfonic acid, mono-C20-24 (even)-sec-alkyl derivs., para-, sodium salts	-	Fish, not further specified.	Study report (2015)

### 12.4. Mobility in soil

Due to its low solubility in water the product is almost completely mechanically separated in biological waste water treatment plants.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

according to UK REACH Regulation

## ADDINOL Form 150 C-ZF

Revision date: 04.02.2025

Product code: 776008

Page 9 of 11

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No data available

## Further information

Do not allow uncontrolled leakage of product into the environment.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

### **Disposal recommendations**

Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

### List of Wastes Code - residues/unused products

120107 WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS; wastes from shaping and physical and mechanical surface treatment of metals and plastics; mineral-based machining oils free of halogens (except emulsions and solutions); hazardous waste

### Contaminated packaging

Contaminated packages must be completely emptied and can be re-used following proper cleaning. Dispose of waste according to applicable legislation. Packing which cannot be properly cleaned must be thrown away.

### **SECTION 14: Transport information**

Land transport (ADR/RID)	
14.1. UN number or ID number:	-
14.2. UN proper shipping name:	-
14.3. Transport hazard class(es):	-
14.4. Packing group:	-
Inland waterways transport (ADN)	
14.1. UN number or ID number:	-
14.2. UN proper shipping name:	-
14.3. Transport hazard class(es):	-
14.4. Packing group:	-
Marine transport (IMDG)	
14.1. UN number or ID number:	-
14.2. UN proper shipping name:	-
14.3. Transport hazard class(es):	-
14.4. Packing group:	-
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	-
14.2. UN proper shipping name:	-
14.3. Transport hazard class(es):	-
14.4. Packing group:	-
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	No

### 14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

## 14.7. Maritime transport in bulk according to IMO instruments

### not applicable

### Other applicable information

according to UK REACH Regulation

## ADDINOL Form 150 C-ZF

Revision date: 04.02.2025

Product code: 776008

Page 10 of 11

No dangerous good in sense of these transport regulations.

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### National regulatory information

Water hazard class (D):

1 - slightly hazardous to water

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 3,5,6,7,8,9,10.

### Abbreviations and acronyms

Eye Irrit: Eye irritation Skin Sens: Skin sensitisation

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ADN -European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ASTM - American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO -Cargo Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DNEL - Derived No-Effect Level; DOT -Department of Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN -European standards; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration: n:o:s: - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT -Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulation concerning the International Carriage of Dangerous Goods by Rail; RQ -Reportable Quantity; SADT - Self- Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Relevant H and EUH statements (number and full text)

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
EUH208	Contains Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts. May produce an
	allergic reaction.
EUH210	Safety data sheet available on request.

### **Further Information**

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be

according to UK REACH Regulation

## ADDINOL Form 150 C-ZF

Revision date: 04.02.2025

Product code: 776008

Page 11 of 11

transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)