according to Regulation (EC) No 1907/2006

ADDINOL	Foodproof	XHF	460	SS	Spray	1
---------	-----------	-----	-----	----	-------	---

Revision date: 16.08.2024

Product code: 73605530

Page 1 of 14

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier ADDINOL Foodproof XHF 460 S Spray UFI: C2ET-73G0-WU6D-C2HS 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture Aerosol - Lubricant, lubrifiants and release products. 1.3. Details of the supplier of the safety data sheet Manufacturer Company name: ADDINOL Lube Oil GmbH Gebäude 4609 Am Haupttor Street: Place: D-06237 Leuna Telephone: +49 (0) 3461 845-0 Telefax: +49 (0) 3461 845-555 info@addinol.de E-mail: Contact person: Application Technology Internet: www.addinol.de Responsible Department: ADDINOL Application Technology Supplier GEM OILS LIMITED Company name: Place: IRL-H12K298 Regaskin Co. Cavan Telephone: +353 49 4378116 Telefax: +353 49 4368329 E-mail: sales@gemoils.ie GEM OILS LIMITED Telephone: +353 49 4378116 Contact person: sales@gemoils.ie E-mail:

Internet:	https://gemoils.ie/
1.4. Emergency telephone	Healthcare Professionals: +353 (1) 809 2566 (24 hour service)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Aerosol 1; H222-H229

Full text of hazard statements: see SECTION 16.

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word:

Pictograms:



Danger

Hazard statements H222

H229

Extremely flammable aerosol. Pressurised container: May burst if heated.

according to Regulation (EC) No 1907/2006

ADDINOL Foodproof XHF 460 S Spray

Revision of	date: 1	16.08.	2024
-------------	---------	--------	------

Product code: 73605530

Page 2 of 14

P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of contents/container to industrial incineration plant.

Additional advice on labelling

The product is classified and labelled according to EC directives or corresponding national laws.

2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name			
	EC No	Index No	REACH No	
	Classification (Regulation (EC			
68037-01-4	Dec-1-ene, homopolymer, hy	drogenated Dec-1-ene, oligon	ners, hydrogenated	40 - < 60 %
	500-183-1		01-2119486452-34	
	Asp. Tox. 1; H304	·		
106-97-8	butane			20 - < 40 %
	203-448-7	601-004-00-0		
	Flam. Gas 1, Liquefied gas; H			
74-98-6	propane			10 - < 20 %
	200-827-9	601-003-00-5		
	Flam. Gas 1, Liquefied gas; H			
128-37-0	2,6-Di-tert-butyl-4-methylphe	nol		0.1 - < 0.3 %
	204-881-4		01-2119480433-40	
	Aquatic Acute 1, Aquatic Chr			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
Specific Conc. Limits, M-factors and ATE					
68037-01-4	500-183-1	Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated	40 - < 60 %		
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg				
128-37-0	204-881-4	2,6-Di-tert-butyl-4-methylphenol	0.1 - < 0.3 %		
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 6000 mg/kg Aquatic Acute 1; H400: M=1				

Further Information

DMSO-Extract < 3 %; IP 346. Classification system: The classification corresponds to the current EC lists and is completed by information from specialist literature and company information.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove affected person from the danger area and lay down. Position and transport victim on their side. In

according to Regulation (EC) No 1907/2006

ADDINOL Foodproof XHF 460 S Spray

Revision date: 16.08.2024

Product code: 73605530

Page 3 of 14

case of respiratory distress, bring into semi-upright, seated position. Self-protection of the first aider. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets.

After inhalation

Move victim to fresh air. Put victim at rest and keep warm. Seek medical attention if problems persist. In case of breathing difficulties administer oxygen.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, seek medical treatment.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Do NOT induce vomiting.

Rinse mouth thoroughly with water. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

following inhalation: drowsiness. Headache. Nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Extinguishing powder. Foam. Water spray jet.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide Nitrogen oxides (NOx). carbon black.

Vapours may form explosive mixtures with air.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Co-ordinate fire-fighting measures to the fire surroundings. Use water spray jet to protect personnel and to cool endangered containers. In case of fire and/or explosion do not breathe fumes. Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. The vapours are heavier than air and can accumulate in high concentrations on the ground, in cavities, channels and cellars. Avoid contact with skin and eyes. Keep away from sources of ignition - No smoking.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities. Prevent spread over a wide area (e.g. by containment or oil barriers).

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the

according to Regulation (EC) No 1907/2006

ADDINOL Foodproof XHF 460 S Spray

Revision date: 16.08.2024

Product code: 73605530

Page 4 of 14

recovered material as prescribed in the section on waste disposal. Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Section 12: Ecological Information (non-mandatory) Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Work in well-ventilated zones or use proper respiratory protection. Do not breathe gas/fumes/vapour/spray. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. To avoid risks to man and the environment, comply with the instructions for use. Avoid contact with skin, eyes and clothes.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Heating causes rise in pressure with risk of bursting.

Advice on general occupational hygiene

Wash hands before breaks and after work. Take off immediately all contaminated clothing. Wash contaminated clothing prior to re-use. Do not eat, drink, smoke or sneeze at the workplace.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity. Keep container tightly closed in a cool place. Keep away from sources of ignition - No smoking.

Please note: TRG 300, aerosol directive (75/324/EEC).

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

Keep away from: Oxidizing agent. Material, rich in oxygen, oxidizing.

Further information on storage conditions

Recommended storage temperature: 5 - 40°C. Do not store at temperatures over: 50°C.

7.3. Specific end use(s)

Further information: see technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

CAS No	Substance	ppm	mg/m³	fib/cm³	Category	Origin
128-37-0	2,6-Ditertiary-butyl-para-cresol	-	2		TWA (8 h)	
74-98-6	Aliphatic hydrocarbon gases, Alkanes (C1-C3), Propane	-	-		Asphyxiant	
106-97-8	Butane, all isomers - n-butane	1000	-		STEL (15 min)	

according to Regulation (EC) No 1907/2006

ADDINOL Foodproof XHF 460 S Spray

Revision date: 16.08.2024

Product code: 73605530

Page 5 of 14

DNEL/DMEL values

CAS No	Substance						
DNEL type		Exposure route	Effect	Value			
128-37-0	2,6-Di-tert-butyl-4-methylphenol						
Consumer DN	Consumer DNEL, long-term inhalation systemic 0,435 mg/m ³						
Consumer DN	EL, long-term	dermal	systemic	0,25 mg/kg bw/day			
Consumer DN	EL, long-term	oral	systemic	0,25 mg/kg bw/day			
Worker DNEL, long-term		dermal	systemic	0,5 mg/kg bw/day			
Worker DNEL, long-term		inhalation	systemic	1,76 mg/m³			

PNEC values

CAS No	Substance				
Environmen	Environmental compartment Value				
128-37-0	2,6-Di-tert-butyl-4-methylphenol				
Freshwater		0,000199 mg/l			
Freshwater (intermittent releases) 0,00199 mg/l					
Marine water 0,00002 mg/					
Freshwater sediment 0,458 mg/kg					
Marine sediment 0,046 mg/k					
Secondary poisoning 16,67 mg/k					
Micro-organisms in sewage treatment plants (STP) 0,					
Soil					

Additional advice on limit values

source:

8.2. Exposure controls







Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): EN 166

Hand protection

Tested protective gloves are to be worn: German Industry Norms (DIN) / European Norms (EN): EN ISO 374

Duration of wearing with permanent contact: 480 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.7 mm.

Wearing time with occasional contact (splashes): 30 min Suitable material: NBR (Nitrile rubber). Thickness of glove material: 0.4 mm

Protect skin by using skin protective cream.

according to Regulation (EC) No 1907/2006

ADDINOL Foodproof XHF 460 S Spray

Revision date: 16.08.2024

Product code: 73605530

Page 6 of 14

Skin protection

Wear suitable protective clothing. Change contaminated clothing. Do not put any product-impregnated cleaning rags into your trouser pockets. Wear anti-static footwear and clothing

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Cosaint riospráide le scagaire i gcoinne gás orgánach agus gaile cineál A - fiuchphointe> 65 ° C: A1: <1000 ppm; A2: <5000 ppm; A3: <10,000 ppm.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and che		
Physical state:	gaseous	
Colour:	transparent light yellow	
Odour:	characteristic	
Odour threshold:	not determined	
		Test method
Melting point/freezing point:	not applicable	
Boiling point or initial boiling point and	< -20 °C	
boiling range:		
Flammability:	No data available	
Lower explosion limits:	1,5 vol. %	
Upper explosion limits:	10,9 vol. %	
Flash point:	< -20 °C	DIN EN ISO 2592
Auto-ignition temperature:	343 - 369 °C	DIN 51794
Decomposition temperature:	No data available	
pH-Value:	not applicable	
Viscosity / kinematic:	not applicable	
Water solubility:	insoluble	
(at 20 °C)		
Solubility in other solvents		
No data available		
Partition coefficient n-octanol/water:	No data available	
Vapour pressure:	No data available	
Density (at 20 °C):	0,706 g/cm³	DIN 51757
Relative vapour density:	not determined	
Particle characteristics:	not determined	
9.2. Other information		
Information with regard to physical haz	ard classes	
Explosive properties		
No data available		
Self-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Oxidizing properties		
In case of insufficient ventilation and/o	or through use, explosive/highly flammable mixtures n	nay develop.
Other safety characteristics		
Evaporation rate:	not determined	
Pour point:	not determined	
Viscosity / dynamic:	not applicable	

SECTION 10: Stability and reactivity

according to Regulation (EC) No 1907/2006

ADDINOL Foodproof XHF 460 S Spray

Revision date: 16.08.2024

Product code: 73605530

Page 7 of 14

10.1. Reactivity

Extremely flammable aerosol. Pressurized container: May burst if heated.

10.2. Chemical stability

The mixture is chemically stable under recommended conditions of storage, use and temperature. The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions. Vapours may form explosive mixtures with air.

10.4. Conditions to avoid

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking. Keep out of the reach of children. Take precautionary measures against static discharges. See protective measures under point 7 and 8.

10.5. Incompatible materials

Keep away from: Oxidizing agent. Material, rich in oxygen, oxidizing.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide Nitrogen oxides (NOx). carbon black.

Vapours may form explosive mixtures with air.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met. Mixture not tested.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation gas) > 20000 ppm

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
68037-01-4	Dec-1-ene, homopolymer	Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated						
	oral	LD50 mg/kg	> 5000	Rat	Study report (1994)	OECD Guideline 401		
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1995)	OECD Guideline 402		
128-37-0	2,6-Di-tert-butyl-4-methyl	phenol						
	oral	LD50 mg/kg	> 6000	Rat	Study report (1989)	OECD Guideline 401		
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1988)	OECD Guideline 402		

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

ADDINOL Foodproof XHF 460 S Spray

Revision date: 16.08.2024

Product code: 73605530

Page 8 of 14

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

not applicable

Further information

If handled with proper care and at intended use, the product does not cause any harmful effects acc. to our experiences and available information.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006

ADDINOL Foodproof XHF 460 S Spray

Revision date: 16.08.2024

Product code: 73605530

Page 9 of 14

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
68037-01-4	Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated								
	Acute fish toxicity	LL50 mg/l	> 1000	96 h	Oncorhynchus mykiss	Study report (1995)	OECD Guideline 203		
	Acute algae toxicity	ErC50 mg/l	> 1000	96 h	Raphidocelis subcapitata	Study report (1995)	OECD Guideline 201		
	Acute crustacea toxicity	EL50 mg/l	> 1000	48 h	Daphnia magna	Study report (1995)	OECD Guideline 202		
106-97-8	butane								
	Acute fish toxicity	LC50 mg/l	49,9	96 h	Fish, no other information	United States Environmental Protection A	The Ecosar class program has been develo		
	Acute algae toxicity	ErC50 mg/l	19,37	96 h	Algae	USEPA OPPT Risk Assessment Division (200	Calculation using ECOSAR Program v1.00.		
	Acute crustacea toxicity	EC50 mg/l	69,43	48 h	Daphnia sp.	USEPA OPPT Risk Assessment Division (200	Calculation using ECOSAR Program v1.00.		
74-98-6	propane								
	Acute fish toxicity	LC50 mg/l	49,9	96 h	Fish, no other information	United States Environmental Protection A	The Ecosar class program has been develo		
	Acute algae toxicity	ErC50 mg/l	19,37	96 h	Algae	USEPA OPPT Risk Assessment Division (200	Calculation using ECOSAR Program v1.00.		
	Acute crustacea toxicity	EC50 mg/l	69,43	48 h	Daphnia sp.	USEPA OPPT Risk Assessment Division (200	Calculation using ECOSAR Program v1.00.		
128-37-0	2,6-Di-tert-butyl-4-methylphenol								
	Acute fish toxicity	LC50 mg/l	0,199	96 h	Oryzias latipes	REACh Registration Dossier	OECD Guideline 203		
	Acute algae toxicity	ErC50 mg/l	0,758	96 h	Pseudokirchneriella subcapitata	REACh Registration Dossier	OECD Guideline 201		
	Acute crustacea toxicity	EC50 mg/l	0,48	48 h	Daphnia magna	REACh Registration Dossier	OECD Guideline 202		
	Fish toxicity	NOEC mg/l	0,053	30 d	Oryzias latipes	REACh Registration Dossier	OECD Guideline 210		
	Crustacea toxicity	NOEC mg/l	0,069	21 d	Daphnia magna	REACh Registration Dossier	OECD Guideline 211		
	Acute bacteria toxicity	EC50 mg/l()	> 10000	3 h	Activated sludge	Study report (2000)	OECD Guideline 209		

12.2. Persistence and degradability

Not easily bio-degradable (according to OECD-criteria). Do not allow to enter into surface water or drains.

12.3. Bioaccumulative potential

according to Regulation (EC) No 1907/2006

ADDINOL Foodproof XHF 460 S Spray

Revision date: 16.08.2024

Product code: 73605530

Page 10 of 14

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68037-01-4	Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers, hydrogenated	> 6,5
106-97-8	butane	1,09
74-98-6	propane	1,09
128-37-0	2,6-Di-tert-butyl-4-methylphenol	5,03
DOE	*	

BCF

CAS No	Chemical name	BCF	Species	Source
128-37-0	2,6-Di-tert-butyl-4-methylphenol	465		REACh Registration D

12.4. Mobility in soil

Product is easily volatile. Product is difficult to dissolve in water.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not open container by force. Must not be disposed of with domestic refuse. Do not allow to enter into surface water or drains.

List of Wastes Code - residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

Contaminated packaging

Dispose of waste according to applicable legislation.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number or ID number:</u>	UN 1950
14.2. UN proper shipping name:	AEROSOLS
<u>14.3. Transport hazard class(es):</u>	2
14.4. Packing group:	-
Hazard label:	2.1
Classification code:	5F
Special Provisions:	190 327 344 625
Limited quantity:	1 L
Excepted quantity:	EO
Transport category:	2
Tunnel restriction code:	D
Inland waterways transport (ADN)	

according to Regulation (EC) No 1907/2006

	DDINOL Foodpro	• •	
Revision date: 16.08.2024	Product co	de: 73605530	Page 11 of 1
14.1. UN number or ID number:	UN 1950		
14.2. UN proper shipping name:	AEROSOLS		
14.3. Transport hazard class(es):	2		
<u>14.4. Packing group:</u> Hazard label:	-		
	2.1		
	22		
Classification code:	5F		
Special Provisions:	190 327 344 625		
Limited quantity: Excepted quantity:	1 L E0		
Marine transport (IMDG)	LU		
<u>14.1. UN number or ID number:</u>	UN 1950		
14.2. UN proper shipping name:	AEROSOLS		
14.3. Transport hazard class(es):	2.1		
14.4. Packing group:	-		
Hazard label:	2.1		
	2		
Special Provisions:	63, 190, 277, 327,	344, 381, 959	
Limited quantity:	1000mL		
Excepted quantity:	E0		
EmS:	F-D, S-U		
Air transport (ICAO-TI/IATA-DGR)			
14.1. UN number or ID number:	UN 1950		
14.2. UN proper shipping name:	AEROSOLS, flamr 2.1	nable	
<u>14.3. Transport hazard class(es):</u> 14.4. Packing group:	2.1		
Hazard label:	- 2.1		
	2.1		
Special Provisions:	A145 A167 A802		
Limited quantity Passenger:	30 kg G		
Passenger LQ:	Y203		
Excepted quantity:	E0		
IATA-packing instructions - Passenger:		203	
IATA-max. quantity - Passenger:		75 kg	
IATA-packing instructions - Cargo:		203	
IATA-max. quantity - Cargo:		150 kg	
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	No		
14.6. Special precautions for user Warning: flammable gases.			
14.7. Maritime transport in bulk according t	o IMO instruments		
not applicable			

according to Regulation (EC) No 1907/2006

ADDINOL	. Foodpr	oof XHF	460	S Spray	
---------	----------	---------	-----	---------	--

Revision date: 16.08.2024

Product code: 73605530

Page 12 of 14

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information						
Restrictions on use (REACH, annex XVI	Restrictions on use (REACH, annex XVII):					
Entry 28, Entry 40						
Directive 2010/75/EU on industrial emissions:	42,016 % (296,633 g/L)					
Directive 2004/42/EC on VOC in paints and varnishes:	99,758 % (704,294 g/l)					
Information according to Directive 2012/18/EU (SEVESO III):	P3a FLAMMABLE AEROSOLS					
Additional information						
To follow: 850/2004/EC, 79/117/EEC	s, 689/2008/EC, 2008/47/EC, 75/324/EWG					
National regulatory information						
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).					
Water hazard class (D):	1 - slightly hazardous to water					
15.2. Chemical safety assessment						
Chemical safety assessments for sul	ostances in this mixture were not carried out.					

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,3,5,9,15.

according to Regulation (EC) No 1907/2006

Revision date: 16.08.2024

Product code: 73605530

Page 13 of 14

Abbreviations and acronyms

Flam. Gas: Flammable gases

Aerosol: Aerosol Liquefied gas

Asp. Tox: Aspiration hazard

Aquatic Acute: Acute aquatic hazard

Aquatic Chronic: Chronic aquatic hazard

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ADN -European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ASTM - American Society for the Testing of Materials; ATE - Acute Toxicity Estimates; bw - Body weight; CAO -Cargo Aircraft Only; CAS - Chemical Abstracts Service; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DNEL - Derived No-Effect Level; DOT -Department of Transportation; DSL - Domestic Substances List (Canada); EG - European Union; EN -European standards; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n;o;s; - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; OECD - Organization for Economic Co-operation and Development; PBT -Persistent, Bioaccumulative and Toxic substance; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals: RID - Regulation concerning the International Carriage of Dangerous Goods by Rail: RQ -Reportable Quantity; SADT - Self- Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

Classification	Classification procedure
Aerosol 1; H222-H229	On basis of test data

Relevant H and EUH statements (number and full text)

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Further Information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

according to Regulation (EC) No 1907/2006

ADDINOL Foodproof XHF 460 S Spray

Revision date: 16.08.2024

Product code: 73605530

Page 14 of 14

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)